INDEX TO AUTHORS

A

Abel, Marjorie G. See MILLER and ABEL, 731

Abramson, Harold A. The electric charge of amino acid crystals in aqueous electrolytes, iii

Adams, Mildred. Metabolism studies following the administration of glycine, iii

—. See POWER and ADAMS, lxxx

Allison, Crispin L. See WRIGHT and ALLISON, 1

Anderson, B. G. See ARNIM, CLARKE, ANDERSON, and SMITH, viii

Anderson, E. M. The physiological properties of the thyrotropic hormone, iv

Anderson, Ernest. The preparation of *l*-galactose from flaxseed mucilage, 249

Anderson, R. J., and Newman, Melvin S. Identification of trehalose as the higher alcohol combined in the acetone-soluble fat of the tubercle bacillus, iv

Andrews, James C. The oxidation of cystine in acid solution, iv

— and **Andrews, Kathleen Crandall.** The preparation and properties of cysteic acid phenylhydantoin, vi

Andrews, James C., and Johnston, Charles G. The absorption of certain sulfur compounds from intestinal loops of dogs, vii

Andrews, Kathleen Crandall. See ANDREWS and ANDREWS, vi

Arnim, S. S., Clarke, Miriam F., Anderson, B. G., and Smith, Arthur H. Changes in teeth of rats consuming a ration extremely low in inorganic salts, viii

Asher, Dorothy W., and Jones, James H. Effect of irradiated ergosterol after the removal of the parathyroid glands from rats, 333

Austin, J. Harold, and Drabkin, David L. A technique for the spectrophotometric study of undiluted blood, x

—. See DRABKIN and AUSTIN, xxxvi

Austin, W. C., and Humoller, Fred L. Comparative studies in the synthesis of *l*-ribose, x

B

Babers, Frank H. See GOEBEL and BABERS, 573, 743

Bancroft, George, and Fry, Edith G. Adsorption and hydrolysis of glycogen, 255

Barnett, Harold M. Studies on leucine and dileucine hydrochloride and a new method for the isolation of leucine, 543

Barron, E. S. Guzman, and **Hastings, A. Baird.** The oxidation-reduction potentials of lactate-pyruvate in the presence of the activating coenzyme of α-hydroxyoxidase, xi

— and —. Studies on biological oxidations. II. The oxidation of lactic acid by α-hydroxy-oxidase, and its mechanism, 155

Bauguess, Lyle C., and **Berg, Clarence P.** The availability of indole derivatives for supplementing diets deficient in tryptophane, xii

Baumann, Carl A., Steenbock, H., and **Ingraham, Mary A.** Bacteria and the synthesis of carotene and vitamin A, xiii

Baumann, Emil J., Sprinson, David, and **Metzger, Nannette.** The thyroid and cyanide metabolism, xiii

Bazin, Eleanor V. See Rabinowitch, 479

Beard, Howard H., and **Tripoli, Carlo J.** The effect of feeding amino acids in cases of muscular dystrophy, xiv

Beber, J. H. See Burr and Beber, xxiv

Benjamin, Helen Rivkin. The forms of the calcium and inorganic phosphorus in human and animal sera. II. The nature and significance of the filtrable, adsorbable calcium-phosphorus complex, 57

Benjamin, Helen Rivkin, and **Hess, Alfred F.** The forms of the calcium and inorganic phosphorus in human and animal sera. I. Normal, rachitic, hypercalcemic, and other conditions, 27

Berg, Clarence P. The resolution of *dl*-tryptophane, 79

—. See Bauguess and Berg, xii

Bills, Charles E. A spectrograph for the rapid quantitative estimation of vitamin A, and determinations of the vitamin A content of certain fish oils, xv

Bing, Franklin C., Saurwein, Esther M., and **Myers, Victor C.** Further studies on the utilization of parenterally administered iron, xv

Bischoff, Fritz, and **Elliott, A. H.** Some chemical and physiological properties of callicrein, xvii

Blanchard, M. H. See Cohn, McMeekin, Edsall, and Blanchard, xxviii

Blatherwick, N. R., Medlar, E. M., Bradshaw, Phoebe J., Post, Anna L., and **Sawyer, Susan D.** Further observations on the dietary production of fatty livers in rats, xviii

Block, Richard J. A new type of continuous extractor, 537

Bohstedt, G. See Kozelka, Hart, and Bohstedt, 715

Boor, Alden Kinney, and **Miller, C. Phillip.** A formaldehyde-stable, proteolytic bacterial enzyme, xix

Bott, P. A. See PFIFFNER, VARS, BOTT, and SWINGLE, lxxviii

Boyd, M. J. Hematoporphyrin, an artificial proteolytic enzyme, xix

Boyd, William C. See HOOKER and BOYD, 187

Boyden, Ruth E. See ERIKSON, BOYDEN, MARTIN, and INSKO, xl

Bradley, H. C. Inhibition of pepsin by mucin, xx

Bradshaw, Phoebe J. See BLATHERWICK, MEDLAR, BRADSHAW, POST, and SAWYER, xviii

Brand, Erwin, and **Harris, Meyer M.** Further studies on the administration of glycine in muscular and neuromuscular diseases, xx

Brooke, Richard O., and **Smith, Arthur H.** Application of the Lorenz-Pregl technique for the determination of small amounts of phosphorus in biological material, xxiii

— and —. Inorganic salts in nutrition. VI. The mineral metabolism of rats receiving a diet low in inorganic constituents, 105

Burr, George O., and **Beber, J. H.** Relation of iodine level to fat deficiency and metabolism, xxiv

Butt, H. R. See CHANUTIN, BUTT, and ROYSTER, xxvi

Butts, Joseph S., and **Deuel, Harry J., Jr.** The sexual variation in carbohydrate metabolism. II. The metabolism of diacetic acid in fasting rats and guinea pigs, 415

C

Calvery, Herbert O. Some analyses of egg-shell keratin, 183

Cape, Jane. The rate of change of alkali reserve after ingestion of salts of organic compounds, xxv

Carey, Benjamin W., Jr. See TRIMBLE, CAREY, and MADDOCK, 125

Cavett, J. W., and **Seljeskog, S. R.** The preparation of thyroglobulin, xxvi

Cerecedo, Leopold R. See STEKOL and CERECEDO, 653, xc

Chaikoff, I. L., and **Robinson, A.** Studies in fetal fat. I. The influence of high and low fat diets on the quality of the fat formed in the fetus of the rat, 13

Chambers, William H. See DANN and CHAMBERS, 493

Chanutin, Alfred, Butt, H. R., and **Royster, L. T.** A study of progressive pseudohypertrophic muscular dystrophy in children after the administration of glycine and creatine, xxvi

Chase, Barbara W. The absorption of leucine, valine, and their isomers from the gastrointestinal tract of the white rat, xxvii

Chen, A. L. See JENSEN, CHEN, and CHEN, lvii
Chen, K. K. See JENSEN, CHEN, and CHEN, lvii
Clark, Byron B., and **Gibson, R. B.** A bicolorimetric method for the determination of methemoglobin, 205
Clarke, Miriam F. See ARNIM, CLARKE, ANDERSON, and SMITH, viii
Closs, John O. See CORI and CLOSS, xxxii
Cohn, Edwin J., McMeekin, Thomas L., Edsall, John T., and **Blanchard, M. H.** The electrical forces in systems containing biological components. II. Molal volumes of amino acids, proteins, and certain related substances, xxviii
Collett, Mary E., Rheinberger, Margaret, and **Little, Elizabeth G.** On the question of the specificity of the intracellular dehydrogenases. V. Toxicity of arsenic, selenium, and tellurium compounds to the dehydrogenase systems of frog and fish muscle, 271
Collip, J. B., Thomson, D. L., and **Selye, Hans.** Physiological properties of the anterior pituitary-like hormone, xxxi
—, —, and —. Physiological properties of certain pituitary extracts, xxxii
Cope, Frances. See HUNSCHER, COPE, NOLL, and MACY, lv
Corbet, Ruth E., Geisinger, Helen H., and **Holmes, Harry N.** Substances which interfere with the antimony trichloride test for vitamin A, 657
Cori, Carl F., and **Cori, Gerty T.** A comparison of total carbohydrate and glycogen content of mammalian muscle, 323
Cori, Gerty T., and **Closs, John O.** Fermentable sugar in heart and skeletal muscle, xxxii
—. See CORI and CORI, 323
Corley, Ralph C. See GERBER, NIELSEN, and CORLEY, xlix
Csonka, Frank A. Proteins of yeast (*Saccharomyces cerevisiæ*), xxxiii
Cullen, Glenn E. See ROBINSON, PRICE, and CULLEN, lxxxii, lxxxiii
Curtis, George H. See WEST, CURTIS, and HOAGLAND, cii
Curtis, Jack M. A rapid method for the preparation of theelin, xxxiii

D

Daft, Floyd Shelton. Nitrogen conservation and hemoglobin construction as influenced by iron salts in anemic dogs, xxxiv
Dann, Margaret, and **Chambers, William H.** Factors influencing the metabolism of glucose ingested by fasting dogs, 493
Davis, J. E., and **van Dyke, H. B.** The oxygen consumption of fasting white mice, 455

Deuel, Harry J., Jr. The sexual variation in the glycogen and fat content of the liver, xxxv

—. See Butts and Deuel, 415

Dill, D. B., Jones, B. F., Edwards, H. T., and Oberg, S. A. Salt economy in extreme dry heat, 755

—. See Edwards, Margaria, and Dill, xxxviii

—. See Margaria, Edwards, Henderson, and Dill, lxv

Doisy, Edward A. See Levin, MacCorquodale, Thayer, and Doisy, lxii

Domm, L. V. See Gallagher, Domm, and Koch, xlvii

Drabkin, David L., and Austin, J. Harold. Spectrophotometric studies of hemoglobin derivatives, xxxvi

—. See Austin and Drabkin, x

Duffendack, O. S. See Wiley, Owens, and Duffendack, cv

van Dyke, H. B. See Davis and van Dyke, 455

E

Edsall, John T. See Cohn, McMeekin, Edsall, and Blanchard, xxviii

Edwards, Beatrice G. See Everett and Edwards, xlii

Edwards, H. T., Margaria, R., and Dill, D. B. The removal of lactic acid after exercise, xxxviii

Edwards, H. T. See Dill, Jones, Edwards, and Oberg, 755

—. See Margaria, Edwards, Henderson, and Dill, lxv

Ehrenfest, Ellen. The removal of iodoacetate inhibition of yeast fermentation, xxxviii

Elderfield, Robert C. See Jacobs and Elderfield, 671

Elema, B. Theory of the reversible two-step oxidation, 149

Elliott, A. H. See Bischoff and Elliott, xvii

Elvehjem, C. A., and Schultze, M. O. The relation of iron and copper to the reticulocyte response in anemic rats, xxxix

Erikson, Statie E., Boyden, Ruth E., Martin, J. Holmes, and Insko, W. M., Jr. The iron and copper content of egg yolk, xl

Evans, E. A., Jr., and Schock, E. D. Further observations on the chemistry of insulin, xli

Eveleth, Donald F., and Myers, Victor C. Studies on the determination of aluminum in animal tissues, xlii

Evenden, James. See Dann and Chambers, 493

Everett, Mark R., and Edwards, Beatrice G. Reduction by oligosaccharides, xlii

F

Fashena, Gladys J. On the nature of the saccharoid fraction of human blood, 357

Finkle, Philip. The fate of tartaric acid in the human body, 349

Firor, W. M. See GROLLMAN and FIROR, 429

Fouts, Paul J. See HELMER, FOUTS, and ZERFAS, liii

Frear, Donald E. H., and **Kahlenberg, O. J.** A study of the accuracy of the McCrudden method for calcium and magnesium in biological materials, 85

Fred, E. B. See PETERSON, GORCICA, and FRED, lxxviii

Freytag, Frederick C., and **Smith, H. Gregg.** The unsaponifiable lipids of beef liver. I. Methods of separation; crystalline fractions, 309

— and —. II. Vitamins A and E; antioxygens, 319

Friedemann, Theodore E., and **Graeser, James B.** The determination of lactic acid, 291

Fry, Edith G. See BANCROFT and FRY, 255

Funk, Casimir. Further experiments on the fat metabolism hormone obtained from normal urine, xliii

—. See HARROW, NAIMAN, and FUNK, lii

G

Gaebler, Oliver Henry. Further studies of anterior pituitary extracts, xlvi

Gallagher, T. F., Domm, L. V., and **Koch, Fred C.** The problem of hen-feathering in Sebright cocks, xlvii

Gallagher, T. F., and **Koch, Fred C.** Effect of alkali on the comb growth-stimulating male hormone, xlvii

— and —. Studies on the testicular hormone from human urine, xlviii

— and —. Technique and accuracy of the testicular hormone assay, xlviii

Geisinger, Helen H. See CORBET, GEISINGER, and HOLMES, 657

Gerber, Louis P., Nielsen, Ernst K., and **Corley, Ralph C.** The differential metabolism of the amino acids, xlix

Gersdorff, Charles E. F. See JONES and GERSDORFF, lviii

Gibson, R. B. See CLARK and GIBSON, 205

Goebel, Walther F., and **Babers, Frank H.** Derivatives of glucuronic acid. I. The preparation of glucuronic acid from glucuron and a comparison of their reducing values, 573

— and —. II. The acetylation of glucuron, 743

Good, C. A., Kramer, H., and **Somogyi, Michael.** The determination of glycogen, 485

Gorcica, H. J. See PETERSON, GORCICA, and FRED, lxxviii

Graeser, James B. See FRIEDEMANN and GRAESER, 291

Green, Arda Alden, and **Talbott, J. H.** The effect of electro-

lytes on the oxygen-hemoglobin equilibrium, p. l

Greenberg, David M., Lucia, Salvatore P., Mackey, Myrtle A., and **Tufts, Elma V.** The magnesium content of the plasma and the red corpuscles in human blood, 139

Griffith, Wendell H. The synthesis of hippuric acid in rats, p. l

Grollman, Arthur, and **Firor, W. M.** Studies on the adrenal. III. The preparation of an active extract of the hormone of the adrenal cortex, 429

Grote, Irvine W. See DU VIGNEAUD, SEALOCK, SIFFERD, KAMM, and GROTE, xciv

Guest, George Martin, and **Warkany, Josef.** Effects of overdosage of irradiated ergosterol in rabbits. Changes in the distribution of phosphorus in blood cells and plasma, 445

H

Hanzal, R. F. The determination of iron in biological material, li

Harris, Meyer M. See BRAND and HARRIS, xx

Harrow, Benjamin, Naiman, Barnet, and **Funk, Casimir.** The male hormone. VI. Further experiments on the effect of the male hormone and the anterior pituitary, lii

Hart, E. B. See KOZELKA, HART, and BOHSTEDT, 715

Hastings, A. Baird. See BARRON and HASTINGS, 155, xi

Hastings, A. Baird. See SCHLUTZ, HASTINGS, and MORSE, lxxxv

Helmer, O. M., Fouts, Paul J., and **Zerfas, L. G.** Pancreatic enzymes in pernicious anemia, liii

Henderson, L. J. See MARGARIA, EDWARDS, HENDERSON, and DILL, lxv

Herron, William F., and **McElroy, William S.** Autolysis as a method for the preparation of therapeutically active substances in tissues, liii

Hess, Alfred F. See BENJAMIN and HESS, 27

Hess, W. C. The gasometric method for the estimation of cysteine and cystine, liv

Hoagland, Charles L. See WEST, CURTIS, and HOAGLAND, cii

Hogan, Albert G., and **Richardson, Luther R.** Effect of ultraviolet irradiation on the vitamin B complex, lv

Hogden, Corinne. See WANG, HOGDEN, KAUCHER, and WING, xcix

Holmes, Harry N. See CORBET, GEISINGER, and HOLMES, 657

Hooker, Sanford B., and **Boyd, William C.** The alleged transformation of serum albumin into serum globulins, 187

Hubbard, Roger S. Note on the precipitation of small amounts of potassium as potassium sodium cobaltinitrite, 557

Humoller, Fred L. See AUSTIN and HUMOLLER, x

Hunscher, Helen A., Cope, Frances, Noll, Alice, and Macy, Icie G. Calcium and phosphorus storage in growing children, lv

Hussemann, Dorothy L. See PARSONS, KELLY, and HUSSEMANN, lxxvi

I

Ingraham, Mary A. See BAUMANN, STEENBOCK, and INGRAHAM, xiii

Insko, W. M., Jr. See ERIKSON, BOYDEN, MARTIN, and INSKO, xl

Irish, Don D. A new method of determining the fragility of blood platelets, lvi

J

Jackson, Richard W. See WHITE and JACKSON, ciii

Jacobs, Walter A., and Elderfield, Robert C. The digitalis glycosides. VII. The isomeric dihydrogitoxigenins, 671

Jensen, H., Chen, K. K., and Chen, A. L. The chemical studies of toad poisons, lvii

Johnston, Charles G. See ANDREWS and JOHNSTON, vii

Jones, B. F. See DILL, JONES, EDWARDS, and OBERG, 755

Jones, D. Breese, and Gersdorff, Charles E. F. Digestion studies *in vitro*. Some partial cleavage products from a peptic digest of casein, lviii

Jones, James H. Relation of the parathyroid glands to the toxicity of irradiated ergosterol, 343

Jones, James H. See ASHER and JONES, 333

Jorgensen, Myron. See WADE, KATZMAN, and JORGENSEN, xcvi

K

Kahlenberg, O. J. See FREAR and KAHLENBERG, 85

Kamm, Oliver. See DU VIGNEAUD, SEALOCK, SIFFERD, KAMM, and GROTE, xciv

Kassell, Beatrice. Creatinine determination with the Pulfrich photometer, lviii

Katzman, Philip A. See WADE, KATZMAN, and JORGENSEN, xcvi

Kaucher, Mildred. See WANG, HOGDEN, KAUCHER, and WING, xcix

Kelly, Eunice. See PARSONS and KELLY, 645

—. See PARSONS, KELLY, and HUSSEMANN, lxxvi

—. See PARSONS, LEASE, and KELLY, lxxvii

Kendall, Edward C., Mason, Harold L., McKenzie, Bernard F., and Myers, C. S. The physiological action and the chemical nature of the active principle in the suprarenal gland essential to life, lix

Kerly, Margaret. See RONZONI and KERLY, lxxxiv

Kimmel, Louise. See MORGAN, KIMMEL, THOMAS, and SAMISCH, lxxi

Kinney, F. M. See MULL and KINNEY, lxxiii

Kirk, Esben. See VAN SLYKE, PAGE, and KIRK, xciii

Kirk, J. Stanley. The concentration of soy bean urease. A new method for the purification of enzymes, 667

Kleiner, Israel S., and Tauber, Henry. A practical method for the simultaneous estimation of lactose and glucose in urine, 749

Koch, Fred C. See GALLAGHER, DOMM, and KOCH, xlvii

—. See GALLAGHER and KOCH, xlvii, xlviii

Kozelka, F. L. Reproduction and lactation in the absence of the parathyroid glands and their probable function, lx

—, **Hart, E. B., and Bohstedt, G.** Growth, reproduction, and lactation in the absence of the parathyroid glands, 715

Kramer, Benjamin. See SOBEL and KRAMER, 561

Kramer, H. See GOOD, KRAMER, and SOMOGYI, 485

Kruse, H. D., Orent, Elsa R., and McCollum, E. V. Studies on magnesium deficiency in animals. III. Chemical changes in the blood following magnesium deprivation, 603

Kuyper, Adrian C., and Mattill, H. A. The metabolism of citric acid, lxi

L

Landis, Carney. Effect of startle on electrocardiogram and respiration following injection of adrenalin, lxi

Lavine, Theodore F. See TOENNIES and LAVINE, 463, xci

Lease, Jane G. See PARSONS, LEASE, and KELLY, lxxvii

Levene, P. A., and Marker, R. E. Configurational relationship of hydrocarbons. V. Optical rotations of hydrocarbons of the isopropyl series, 769

— and —. Maximum rotations of phenyl compounds, 685

—, —, and **Rothen, Alexandre.** Chemical structure and optical rotation. IV. The configurational relationship of disubstituted acetic and propionic acids containing a phenyl group, 589

— and **Schormüller, A.** The synthesis of tyrosinephosphoric acid, 583

Levin, Louis, MacCorquodale, D. W., Thayer, Sidney A., and Doisy, Edward A. The oxygen equivalents of theelin and theelol and of some of their derivatives, lxii

Lewis, Howard B. See VIRTUE and LEWIS, xcv

Lewis, Robert C., and Rymer, Marion R. Further evidence concerning the multiple nature of the vitamin B complex of yeast, lxiii

Link, Karl Paul, and Walker, J. C. The isolation of catechol from pigmented onion scales and its significance in relation to disease resistance in onions, 379

—. See MORELL and LINK, 385

—. See NIEMANN and LINK, 407

Link, Karl Paul. See SCHOEFFEL and LINK, 397
Little, Elizabeth G. See COLLETT, RHEINBERGER, and LITTLE, 271
Looney, Joseph M. The effect of the ingestion of tyrosine on the blood phenols and the blood uric acid as determined by the methods of Folin and of Benedict, lxiv
Lucia, Salvatore P. See GREENBERG, LUCIA, MACKEY, and TUFTS, 139

M

MacCorquodale, D. W. See LEVIN, MACCORQUODALE, THAYER, and DOISY, lxii
Mackey, Myrtle A. See GREENBERG, LUCIA, MACKEY, and TUFTS, 139
Macy, Icie G. See HUNSCHER, COPE, NOLL, and MACY, lv
Maddock, Stephen J. See TRIMBLE, CAREY, and MADDOCK, 125
Madsen, L. L. See MCCAY, MADSEN, and MAYNARD, lxviii
Margaria, R., Edwards, H. T., Henderson, L. J., and Dill, D. B. The possible mechanisms of contracting and paying the oxygen debt and the rôle of lactic acid in muscular contraction, lxv
—. See EDWARDS, MARGARIA, and DILL, xxxviii
Marker, R. E. See LEVENE and MARKER, 685, 769
—. See LEVENE, MARKER, and ROTHEN, 589
Martin, J. Holmes. See ERIKSON, BOYDEN, MARTIN, and INSKO, xl
Mason, Harold L. See KENDALL, MASON, MCKENZIE, and MYERS, lix
Mattill, H. A. See KUYPER and MATTILL, lxi
Maynard, L. A. See MCCAY, MADSEN, and MAYNARD, lxviii
McCay, C. M. An insect test for vitamin B fractions, lxvii
—, **Madsen, L. L., and Maynard, L. A.** Further studies of synthetic diets for Herbivora, lxviii
McCollum, E. V. See KRUSE, ORENT, and MCCOLLUM, 603
McDonald, Francis G. The stability of carotene in ethyl esters of fatty acids, liver, and vegetable oils, lxix
McEllroy, William S. See HERRON and MCELLROY, liii
McGavran, Joyce, and Rheinberger, Margaret. On the question of the specificity of the intracellular dehydrogenases. IV. The effect of hydrogen ion concentration, 267
McKenzie, Bernard F. See KENDALL, MASON, MCKENZIE, and MYERS, lix
McMeekin, Thomas L. See COHN, MCMEEKIN, EDSALL, and BLANCHARD, xxviii
Medes, Grace. Bence-Jones protein. I. Chemical composition, lxix

Medlar, E. M. See Blatherwick, Medlar, Bradshaw, Post, and Sawyer, xviii

Metzger, Nannette. See Baumann, Sprinson, and Metzger, xiii

Miller, C. Phillip. See Boor and Miller, xix

Miller, Carey D., and **Abel, Marjorie G.** Adsorption of vitamin B (B_1) by plant tissue. I. Adsorption of vitamin B (B_1) by *Brassica chinensis* when pickled with salt and rice bran, 731

Miller, Lloyd C. Variations in the plasma phospholipid of amytalized dogs following epinephrine or insulin, lxx

Morell, Sam, and **Link, Karl Paul.** The methylglycosides of the naturally occurring hexuronic acids. I. The preparation of methyl-*d*-galacturonide, 385

Morgan, Agnes Fay, Kimmel, Louise, Thomas, Rachel, and **Samisch, Zdenka.** The effect of moderate doses of viosterol and of parathyroid extract upon bone composition, lxxi

Morrison, Dempsie B. The oxygen capacity of hemoglobin of human blood, lxxii

Morse, Minerva. See Schlutz, Hastings, and Morse, lxxxv

Morse, Withrow. Chemistry of the integument. V. A new color reaction for hydroxyproline and its use in distinguishing the scleroproteins, 373

Morse, Withrow. Chemistry of the integument. VI. The lability of hydroxyproline in the molecule of proteins, lxxiii

Mull, James W., and **Kinney, F. M.** Changes in serum calcium and phosphorus and in the teeth during pregnancy, lxxiii

Munday, Betty, and **Seibert, Florence B.** A comparison of the Shaffer-Hartmann and Hagedorn-Jensen methods in determining polysaccharide in tuberculin, 277

Murrell, F. C. See Wesson and Murrell, cii

Myers, C. S. See Kendall, Mason, McKenzie, and Myers, lix

Myers, Victor C. See Bing, Saurwein, and Myers, xv

—. See Eveleth and Myers, xlii

N

Naiman, Barnet. See Harrow, Naiman, and Funk, lii

Nash, Thomas P., Jr. See Williams and Nash, 515, 737

Nelson, E. M. A report on the development, preparation, and distribution of the international vitamin standards, lxxiv

Newman, Melvin S. See Anderson and Newman, iv

Nicolet, Ben H. The preparation of esters of α,α'-bisacetylaminopropionic acid, 287

Nielsen, Ernst K. See Gerber, Nielsen, and Corley, xlix

Niemann, Carl, and **Link, Karl Paul.** Synthesis of the hexuronic acids. II. The synthesis of *d*-mannuronic acid from *d*-mannosaccharic acid, 407

Noll, Alice. See HUNSCHER, COPE, NOLL, and MACY, lv

O

Oberg, S. A. See DILL, JONES, EDWARDS, and OBERG, 755

O'Brien, Helen. See STADIE and O'BRIEN, lxxxviii

Okey, Ruth. The effect of diets rich in cholesterol on the tissue lipids of young rats, lxxv

Orent, Elsa R. See KRUSE, ORENT, and MCCOLLUM, 603

Owens, J. S. See WILEY, OWENS, and DUFFENDACK, cv

P

Page, Irvine H. See VAN SLYKE, PAGE, and KIRK, xciii

Palmer, A. H. The preparation of a crystalline globulin from the albumin fraction of cow's milk, lxxv

Parfentjev, I. A., and **Perlzweig, William A.** The composition of the urine of white mice, 551

Parsons, Helen T., and **Kelly, Eunice.** The character of the dermatitis-producing factor in dietary egg white as shown by certain chemical treatments, 645

—, —, and **Hussemann, Dorothy L.** Refection in the rat, lxxvi

Parsons, Helen T., Lease, Jane G., and **Kelly, Eunice.** The cure of dermatitis due to egg white by various foodstuffs, lxxvii

Perlzweig, William A. The rôle of oxidation and reduction processes in the activity of urease, lxxvii

—. See PARFENTJEV and PERLZWEIG, 551

Pertzoff, Vladimir A. The solubility of glutamic acid in water and certain organic solvents, 97

Peterson, W. H., Gorcica, H. J., and **Fred, E. B.** Nitrogen constituents of mold mycelium, lxxviii

Pfiffner, J. J., Vars, Harry M., Bott, P. A., and **Swingle, W. W.** The cortical hormone requirement of the adrenalectomized dog, lxxviii

Phillips, Paul H. The manifestation of scurvy-like symptoms induced by the ingestion of sodium fluoride, lxxix

Platt, Muriel E. See SCHROEDER, WOODWARD, and PLATT, 525

Post, Anna L. See BLATHERWICK, MEDLAR, BRADSHAW, POST, and SAWYER, xviii

Power, Marschelle H., and **Adams, Mildred.** The use of a modified Krogh-Rehberg apparatus for the determination of carbon dioxide in bone powder, lxxx

Price, J. Waide. See ROBINSON, PRICE, and CULLEN, lxxxii, lxxxiii

Pruess, L. M., and **Strong, F. M.** The lipid content of certain molds, lxxx

Pugsley, L. I. The effect of desiccated thyroid feeding and parathyroid hormone injection upon the excretion of calcium in the normal and hypophysectomized rat, lxxxi

— and **Selye, Hans.** The rôle of parathyroid hormone in the rat, lxxxi

Q

Quick, Armand J. The production of glucuronic acid in scurvy, 441

R

Rabinowitch, I. M. The copper content of urine of normal individuals, 479

Reiner, Miriam, and **Sobotka, Harry.** Tyrosine and cystine content of serum proteins, 779

—. See TUCHMAN and REINER, 775

Rheinberger, Margaret. See COLLETT, RHEINBERGER, and LITTLE, 271

—. See MCGAVRAN and RHEINBERGER, 267

Richardson, Luther R. See HOGAN and RICHARDSON, lv

Rider, T. H. Glutamic acid in the treatment of experimental anemia, 243

Robinson, A. See CHAIKOFF and ROBINSON, 13

Robinson, Howard W., Price, J. Waide, and **Cullen, Glenn E.** Studies on the acid-base condition of blood. III. The pK′ of human and dog sera, lxxxii

—, —, and —. IV. The *C* corrections of the colorimetric pH method for plasma and serum, lxxxiii

Ronzoni, Ethel, and **Kerly, Margaret.** The disappearance of hexosemonophosphate from frog muscle, lxxxiv

Rothen, Alexandre. See LEVENE, MARKER, and ROTHEN, 589

Royster, L. T. See CHANUTIN, BUTT, and ROYSTER, xxvi

Rymer, Marion R. See LEWIS and RYMER, lxiii

S

Samisch, Zdenka. See MORGAN, KIMMEL, THOMAS, and SAMISCH, lxxi

Saurwein, Esther M. See BING, SAURWEIN, and MYERS, xv

Sawyer, Susan D. See BLATHERWICK, MEDLAR, BRADSHAW, POST, and SAWYER, xviii

Schlutz, Frederic W., Hastings, A. Baird, and Morse, Minerva. Certain blood changes associated with physical exhaustion, lxxxv

Schmidt, L. H. Further studies on the relation of thyroid activity to the power of certain bile salts to produce gastric ulcers, lxxxvi

Schock, E. D. See EVANS and SCHOCK, xli

Schoeffel, Eugene, and **Link, Karl Paul.** Isolation of α- and β,*d*-mannuronic acid, 397
Schormüller, A. See LEVENE and SCHORMÜLLER, 583
Schroeder, E. F., Woodward, Gladys E., and **Platt, Muriel E.** The effect of amines on yeast poisoned by iodoacetic acid, 525
Schultze, M. O. See ELVEHJEM and SCHULTZE, xxxix
Sealock, Robert Ridgely. See DU VIGNEAUD, SEALOCK, SIFFERD, KAMM, and GROTE, xciv
Seegers, Walter H., and **Smith, H. Gregg.** The presence of a new dietary principle in liver, lxxxvii
Seibert, Florence B. See MUNDAY and SEIBERT, 277
Seidell, Atherton. The extraction of the antineuritic vitamin (vitamin B_1) from dried brewers' yeast, 195
Seljeskog, S. R. See CAVETT and SELJESKOG, xxvi
Selye, Hans. See COLLIP, THOMSON, and SELYE, xxxi, xxxii
—. See PUGSLEY and SELYE, lxxxi
Shaffer, Philip A., and **Somogyi, Michael.** Copper-iodometric reagents for sugar determination, 695
Sifferd, R. H. See DU VIGNEAUD, SEALOCK, SIFFERD, KAMM, and GROTE, xciv
Sinclair, Robert Gordon. Fat metabolism and the liver lipids, lxxxvii
Smith, Arthur H. See ARNIM, CLARKE, ANDERSON, and SMITH, viii
—. See BROOKE and SMITH, 105, xxiii
Smith, H. Gregg. See FREYTAG and SMITH, 309, 319
—. See SEEGERS and SMITH, lxxxvii
Smith, Maurice I. The differential extraction from dried brewers' yeast of the antineuritic (vitamin B_1) and growth-promoting (vitamin B_2) vitamins and their biological standardization. With a note on the relation of hemin to vitamin B_2, 225
Sobel, Albert E., and **Kramer, Benjamin.** A new colorimetric method for the quantitative estimation of small amounts of potassium, 561
Sobotka, Harry. See REINER and SOBOTKA, 779
Somogyi, Michael. See GOOD, KRAMER, and SOMOGYI, 485
—. See SHAFFER and SOMOGYI, 695
Sprinson, David. See BAUMANN, SPRINSON, and METZGER, xiii
Stadie, William C., and **O'Brien, Helen.** The kinetics of carbon dioxide reactions in buffer systems and blood, lxxxviii
Steenbock, H. See BAUMANN, STEENBOCK, and INGRAHAM, xiii
—. See TEMPLIN and STEENBOCK, 209, 217

Stekol, Jakob A., and **Cerecedo, Leopold R.** Studies on the physiology of pyrimidines. VII. The metabolism of isobarbituric acid in man, 653, xc

Strong, F. M. See PRUESS and STRONG, lxxx

Sullivan, M. X. Methods for estimating thiocyanates in urine, xci

Sunderman, F. William. The analysis of chloride in tissues, xci

Swingle, W. W. See PFIFFNER, VARS, BOTT, and SWINGLE, lxxviii

T

Talbott, J. H. See GREEN and TALBOTT, p. 1

Tauber, Henry. See KLEINER and TAUBER, 749

Templin, Vera M., and **Steenbock, H.** Vitamin D and the conservation of calcium in the adult. II. The effect of vitamin D on calcium conservation in adult rats maintained on low calcium diets, 209

— and —. III. The effect of vitamin D on the teeth of rats, 217

Thayer, Sidney A. See LEVIN, MACCORQUODALE, THAYER, and DOISY, lxii

Thomas, Rachel. See MORGAN, KIMMEL, THOMAS, and SAMISCH, lxxi

Thomson, D. L. See COLLIP, THOMSON, and SELYE, xxxi, xxxii

Toennies, Gerrit, and **Lavine, Theodore F.** The non-hydrolytic oxidation of cystine, xci

— and —. The oxidation of cystine in non-aqueous media. I. The solubility and stability of cystine in non-aqueous acid-base systems, 463

Trimble, Harry C., Carey, Benjamin W., Jr., and **Maddock, Stephen J.** The rate of absorption of glucose from the gastrointestinal tract of the dog, 125

Tripoli, Carlo J. See BEARD and TRIPOLI, xiv

Tuchman, L. R., and **Reiner, Miriam.** The cystine content of human serum proteins, 775

Tufts, Elma V. See GREENBERG, LUCIA, MACKEY, and TUFTS, 139

Turner, Mary E. A study of anisotropic substances in the urine, xcii

U

Urban, Frank, and **Williams, R. D.** The acidic property of sugars. II, 237

V

Van Slyke, Donald D., Page, Irvine H., and **Kirk, Esben.** Manometric microdetermination of carbon in organic substances, xciii

Vars, Harry M. Oxidation product of proteins, methylsulfonic acid, xciii

Vars, Harry M. See PFIFFNER, VARS, BOTT, and SWINGLE, lxxviii

du Vigneaud, Vincent, Sealock, Robert Ridgely, Sifferd, R. H., Kamm, Oliver, and **Grote, Irvine W.** Some chemical properties of highly purified preparations of pitressin and pitocin, xciv

Virtue, Robert W., and **Lewis, Howard B.** The metabolism of *dl*-methionine in the rabbit, xcv

W

Wade, Nelson J., Katzman, Philip A., and **Jorgensen, Myron.** The effects of the administration of extracts of hypophysis and of urine from pregnant cases to hypophysectomized rats, xcvi

Walker, J. C. See LINK and WALKER, 379

Wallen-Lawrence, Zonja. The fractionation of the gonad-stimulating substance of the anterior lobe of the pituitary body, xcvii

Wang, Chi Che, Hogden, Corinne, Kaucher, Mildred, and **Wing, Mary.** A metabolic study of a case of Lorain type of infantilism, xcix

Warkany, Josef. See GUEST and WARKANY, 445

Wendel, William B. The mechanism of the action of methylene blue and sodium nitrite in cyanide poisoning, c

Wesson, Laurence G. The effect of protracted exercise, intestinal fermentation, and modification of diet on the attainment of abnormal respiratory quotients by rats on a fat-deficient intake, 365

— and **Murrell, F. C.** A dietary factor concerned with carbohydrate metabolism, cii

West, Edward S., Curtis, George H., and **Hoagland, Charles L.** Determination of the hydroxyl numbers (acetyl values) of oils, fats, and waxes, cii

White, Abraham, and **Jackson, Richard W.** An investigation of a new method for producing a diet deficient in cystine and methionine, ciii

White, Julius. The synthesis of glycyltaurine and glycylcysteic acid, civ

Wiley, Frank H., Owens, J. S., and **Duffendack, O. S.** The quantitative spectrographic determination of inorganic bases in biological material, cv

Williams, Edward F., Jr., and **Nash, Thomas P., Jr.** Is blood protein amide nitrogen a source of urinary ammonia? III. On the question of synthesis of protein amides from ammonia, 515

— and —. IV. An improved aeration set for use in transfer and measurement of small quantities of ammonia, 737

Williams, R. D. See URBAN and WILLIAMS, 237

Wilson, D. Wright, and Wolff, William A. The determination of anserine in muscle, cvi

Wing, Mary. See WANG, HOGDEN, KAUCHER, and WING, xcix

Wolff, William A. See WILSON and WOLFF, cvi

Woodward, Gladys E. See SCHROEDER, WOODWARD, and PLATT, 525

Wright, Sydney L., and Allison, Crispin L. The determination of total base, 1

Z

Zerfas, L. G. See HELMER, FOUTS, and ZERFAS, liii

INDEX TO SUBJECTS

Beginning with this issue, certain duplications of entries will hereafter be omitted.

Entries will not be made for physical constants or properties, but only under the substance in question. Thus, the *Absorption curve of carbon dioxide* will be found only under *Carbon dioxide; Optical rotation of glucose*, only under *Glucose*.

Similarly, physiological phenomena such as *Absorption*, *Assimilation*, *Equilibrium*, *Excretion*, *Metabolism*, etc., will not be indexed as such, but only under the substance in question.

When a definite constituent is given in connection with *Biological fluids*, *Biological material*, *Blood*, *Blood cell*, *Blood plasma*, *Blood serum*, *Diet*, *Milk*, *Tissues*, *Urine*, the constituent only will be indexed; *i.e.*, *Cholesterol in blood*, etc., will be indexed under *Cholesterol*, not under *Blood*, etc. However, *Blood sugar* will be indexed as such.

A

Acetic acids:
Disubstituted, with phenyl group, configurational relationship (LEVENE, MARKER, and ROTHEN) 589

Acetylaminopropionic acid:
α,α'-Bis-, esters, preparation (NICOLET) 287

Acid-base:
Blood condition. III (ROBINSON, PRICE, and CULLEN) lxxxii
IV (ROBINSON, PRICE, and CULLEN) lxxxiii

Adrenal:
III (GROLLMAN and FIROR) 429

Adrenal—*continued:*
Cortex hormone, adrenalectomy, requirement (PFIFFNER, VARS, BOTT, and SWINGLE) lxxviii
—, — extract, preparation (GROLLMAN and FIROR) 429

Adrenalectomy:
Adrenal cortex hormone, requirement (PFIFFNER, VARS, BOTT, and SWINGLE) lxxviii

Adrenalin:
Electrocardiogram and, shock effect (LANDIS) lxi
Respiration and, shock effect (LANDIS) lxi

Albumin:
Blood serum, globulin, transformation (Hooker and Boyd) 187
Milk, globulin, crystalline, from (Palmer) lxxv

Alkaline reserve:
Organic salts, ingestion effect (Cape) xxv

Aluminum:
Tissue, animal, determination (Eveleth and Myers) xlii

Amide:
Protein, synthesis from ammonia (Williams and Nash) 515

Amide nitrogen:
Blood protein, urine ammonia source. III (Williams and Nash) 515
IV (Williams and Nash) 737

Amines:
Yeast poisoned by iodoacetic acid, effect (Schroeder, Woodward, and Platt) 525

Amino acid(s):
Crystals, electric charge, aqueous electrolytes (Abramson) iii
Metabolism, differential (Gerber, Nielsen, and Corley) xlix
Molal volumes (Cohn, McMeekin, Edsall, and Blanchard) xxviii
Muscle dystrophy, effect (Beard and Tripoli) xiv

Ammonia:
Blood protein amide nitrogen source. III (Williams and Nash) 515
IV (Williams and Nash) 737
Determination (Williams and Nash) 737
Protein amides, relation (Williams and Nash) 515

Amytal:
Blood plasma phospholipid, epinephrine and, effect (Miller) lxx
— — —, insulin and, effect (Miller) lxx

Anemia:
Glutamic acid effect (Rider) 243
Hemoglobin construction, iron salts, influence (Daft) xxxiv
Nitrogen conservation, iron salts, influence (Daft) xxxiv
Pernicious, pancreas enzymes (Helmer, Fouts, and Zerfas) liii
Reticulocyte response, copper effect (Elvehjem and Schultze) xxxix
— —, iron effect (Elvehjem and Schultze) xxxix

Anisotropic substances:
Urine (Turner) xcii

Anserine:
Muscle, determination (Wilson and Wolff) cvi

Antineuritic vitamin:
See also Vitamin B_1.

Antioxygens:
Liver lipids, unsaponifiable (Freytag and Smith) 319

Apparatus:
Ammonia determination, aeration set (Williams and Nash) 737
Extractor, continuous (Block) 537
Krogh-Rehberg, carbon dioxide determination, bone powder (Power and Adams) lxxx
Vitamin A determination, spectrograph (Bills) xv

Autolysis:
Tissue, therapeutically active, preparation (Herron and McEllroy) liii

B

Bacillus:
Tubercle. *See* Tubercle bacillus.

Bacteria:
Carotene synthesis by (Baumann, Steenbock, and Ingraham) xiii
Enzyme, proteolytic, formaldehyde-stable (Boor and Miller) xix
Vitamin A synthesis by (Baumann, Steenbock, and Ingraham) xiii

Barbituric acid:
Iso-, metabolism (Stekol and Cerecedo) 653, xc

Base:
Total, determination (Wright and Allison) 1

Bean:
Soy, urease (Kirk) 667

Bence-Jones:
Protein. I (Medes) lxix

Bile salts:
Gastric ulcer production, thyroid and, relation (Schmidt) lxxxvi

Blood:
Changes, exhaustion effect (Schlutz, Hastings, and Morse) lxxxv
Magnesium deprivation effect (Kruse, Orent, and McCollum) 603
Undiluted, spectrophotometric study (Austin and Drabkin) x

Blood platelets:
Fragility, determination (Irish) lvi

Bone:
Carbon dioxide determination, Krogh-Rehberg apparatus (Power and Adams) lxxx
Parathyroid extract effect (Morgan, Kimmel, Thomas, and Samisch) lxxi
Viosterol effect (Morgan, Kimmel, Thomas, and Samisch) lxxi

Brassica chinensis:
Vitamin B_1 adsorption (Miller and Abel) 731

C

Calcium:
Biological materials, determination, McCrudden method (Frear and Kahlenberg) 85
Blood serum, forms. I (Benjamin and Hess) 27
II (Benjamin) 57
— —, —, hypercalcemia (Benjamin and Hess) 27
— —, —, rickets (Benjamin and Hess) 27
— —, pregnancy (Mull and Kinney) lxxiii
Conservation, adult, vitamin D and. II (Templin and Steenbock) 209
III (Templin and Steenbock) 217
—, calcium-low diet, vitamin D, adult, effect (Templin and Steenbock) 209
Excretion, hypophysectomy, parathyroid hormone injection effect (Pugsley) lxxxi
—, —, thyroid, desiccated, feeding effect (Pugsley) lxxxi
—, parathyroid hormone injection effect (Pugsley) lxxxi
—, thyroid, desiccated, feeding effect (Pugsley) lxxxi
-Low diet, calcium conservation, vitamin D effect, adult (Templin and Steenbock) 209
Calcium—*continued:*
-Phosphorus complex, filtrable, adsorbable, blood serum (Benjamin) 57
Storage, growing children (Hunscher, Cope, Noll, and Macy) lv
Callicrein:
Properties (Bischoff and Elliott) xvii
Carbohydrate:
Metabolism, diet factor (Wesson and Murrell) cii
—, sexual variation. II (Butts and Deuel) 415
Total, muscle, mammalian, glycogen and (Cori and Cori) 323
Carbon:
Organic substances, microdetermination, manometric (Van Slyke, Page, and Kirk) xciii
Carbon dioxide:
Bone powder, determination, Krogh-Rehberg apparatus (Power and Adams) lxxx
Reactions, blood (Stadie and O'Brien) lxxxviii
—, buffer systems (Stadie and O'Brien) lxxxviii
Carotene:
Stability, fatty acids, ethyl esters (McDonald) lxix
—, liver, ethyl esters (McDonald) lxix
—, vegetable oils, ethyl esters (McDonald) lxix

Carotene—*continued:*
Synthesis, bacterial (Baumann, Steenbock, and Ingraham) xiii
Casein:
Peptic digest (Jones and Gersdorff) lviii
Catechol:
Isolation, onion scales (Link and Walker) 379
Chemical constitution:
Hydrocarbons. V (Levene and Marker) 769
Optical rotation and. IV (Levene, Marker, and Rothen) 589
Children:
Growing, calcium storage (Hunscher, Cope, Noll, and Macy) lv
—, phosphorus storage (Hunscher, Cope, Noll, and Macy) lv
Chloride:
Tissue, determination (Sunderman) xci
Cholesterol:
-Rich diet, lipids, tissue, effect (Okey) lxxv
Citric acid:
Metabolism (Kuyper and Mattill) lxi
Cock:
Sebright, hen-feathering (Gallagher, Domm, and Koch) xlvii
Comb:
Growth-stimulating male hormone, alkali effect (Gallagher and Koch) xlvii
Copper:
Egg yolk (Erikson, Boyden, Martin, and Insko) xl
Reticulocyte response, anemia, effect (Elvehjem and Schultze) xxxix
Urine, normal (Rabinowitch) 479
Creatine:
Muscle dystrophy, pseudohypertrophic, effect (Chanutin, Butt, and Royster) xxvi
Creatinine:
Determination, Pulfrich photometer (Kassell) lviii
Cyanide:
Metabolism, thyroid gland and (Baumann, Sprinson, and Metzger) xiii
Poisoning, methylene blue action (Wendel) c
—, sodium nitrite action (Wendel) c
Cysteic acid:
Glycyl-, synthesis (White) civ
Phenylhydantoin, preparation and properties (Andrews and Andrews) vi
Cysteine:
Determination, gasometric (Hess) liv
Cystine:
Blood serum proteins (Tuchman and Reiner) 775
(Reiner and Sobotka) 779

Cystine—*continued:*
-Deficient diet, production (White and Jackson) ciii
Determination, gasometric (Hess) liv
Oxidation. I (Toennies and Lavine) 463
—, acid solution (Andrews) iv
—, non-hydrolytic (Toennies and Lavine) xci
Solubility, acid-base systems (Toennies and Lavine) 463
Stability, acid-base systems (Toennies and Lavine) 463

D

Dehydrogenase:
Intracellular, specificity. IV (McGavran and Rheinberger) 267
V (Collett, Rheinberger, and Little) 271
—, —, hydrogen ion concentration effect (McGavran and Rheinberger) 267
Muscle, fish and frog, arsenic effect (Collett, Rheinberger, and Little) 271
—, — — —, selenium effect (Collett, Rheinberger, and Little) 271
—, — — —, tellurium effect (Collett, Rheinberger, and Little) 271

Dermatitis:
Egg white, diet cure (Parsons, Lease, and Kelly) lxxvii
-Producing factor, egg white (Parsons and Kelly) 645

Diacetic acid:
Metabolism, fasting (Butts and Deuel) 415

Diet:
Factor, carbohydrate metabolism (Wesson and Murrell) cii
Fatty liver production (Blatherwick, Medlar, Bradshaw, Post, and Sawyer) xviii
Modification, respiratory quotient, abnormal, on fat-deficient intake, effect (Wesson) 365
Principle, new, liver (Seegers and Smith) lxxxvii
Synthetic, Herbivora (McCay, Madsen, and Maynard) lxviii

Digestion:
In vitro (Jones and Gersdorff) lviii

Digitalis:
Glycosides. VII (Jacobs and Elderfield) 671

Dihydrogitoxigenin:
Isomeric (Jacobs and Elderfield) 671

Dileucine hydrochloride:
(Barnett) 543

Dissociation constant:
Blood serum (Robinson, Price, and Cullen) lxxxii

E

Egg:
-Shell keratin (CALVERY) 183
White, dermatitis, diet cure (PARSONS, LEASE, and KELLY) lxxvii
—, dermatitis-producing factor (PARSONS and KELLY) 645
Yolk, copper (ERIKSON, BOYDEN, MARTIN, and INSKO) xl
—, iron (ERIKSON, BOYDEN, MARTIN, and INSKO) xl

Electrical forces:
Biological systems. II (COHN, MCMEEKIN, EDSALL, and BLANCHARD) xxviii

Electrocardiogram:
Shock and adrenalin, effect (LANDIS) lxi

Enzyme:
Artificial, proteolytic, hematoporphyrin (BOYD) xix
Bacterial, proteolytic, formaldehyde-stable (BOOR and MILLER) xix
Purification (KIRK) 667
See also Dehydrogenase, α-Hydroxyoxidase, Pepsin, Urease.

Epinephrine:
Blood plasma phospholipid, amytal and, effect (MILLER) lxx

Ergosterol:
Irradiated, blood cell phosphorus distribution, effect (GUEST and WARKANY) 445
—, — plasma phosphorus distribution, effect (GUEST and WARKANY) 445
—, parathyroidectomy, effect (ASHER and JONES) 333
—, toxicity, parathyroid glands, relation (JONES) 343

Exercise:
Lactic acid removal (EDWARDS, MARGARIA, and DILL) xxxviii
Respiratory quotient, abnormal, fat-deficient diet, effect (WESSON) 365

Exhaustion:
Blood changes (SCHLUTZ, HASTINGS, and MORSE) lxxxv

Extractor:
Continuous (BLOCK) 537

F

Fasting:
Diacetic acid metabolism (BUTTS and DEUEL) 415
Glucose metabolism (DANN and CHAMBERS) 493
Oxygen consumption (DAVIS and VAN DYKE) 455

Fat(s):
Acetone-soluble, tubercle bacillus, trehalose (ANDERSON and NEWMAN) iv
Acetyl number, determination (WEST, CURTIS, and HOAGLAND) cii

Fat(s)—*continued:*
Deficiency, iodine level, relation (Burr and Beber) xxiv
-Deficient intake, respiratory quotient, abnormal, diet, modification, effect (Wesson) 365
— —, — —, abnormal, exercise effect (Wesson) 365
— —, — —, abnormal, intestinal fermentation effect (Wesson) 365
Fetus. I (Chaikoff and Robinson) 13
-High diet, fat, fetus, influence (Chaikoff and Robinson) 13
Liver, sexual variation (Deuel) xxxv
-Low diet, fat, fetus, influence (Chaikoff and Robinson) 13
Metabolism hormone, urine, normal (Funk) xliii
—, iodine level, relation (Burr and Beber) xxiv
—, liver lipids, and (Sinclair) lxxxvii

Fetus:
Fat. I (Chaikoff and Robinson) 13
—, fat-high diet, influence (Chaikoff and Robinson) 13
—, fat-low diet, influence (Chaikoff and Robinson) 13

Fish:
Muscle, dehydrogenase, arsenic effect (Collett, Rheinberger, and Little) 271
—, —, selenium effect (Collett, Rheinberger, and Little) 271
—, —, tellurium effect (Collett, Rheinberger, and Little) 271

Fish oil:
Vitamin A (Bills) xv

Flaxseed:
Mucilage, *l*-galactose preparation (Anderson) 249

Frog:
Muscle, dehydrogenase, arsenic effect (Collett, Rheinberger, and Little) 271
—, —, selenium effect (Collett, Rheinberger, and Little) 271
—, —, tellurium effect (Collett, Rheinberger, and Little) 271
—, hexosemonophosphate disappearance (Ronzoni and Kerly) lxxxiv

G

***l*-Galactose:**
Flaxseed mucilage, preparation (Anderson) 249

Galacturonide:
Methyl-*d*-, preparation (Morell and Link) 385

Gitoxigenin:
Dihydro-, isomeric (Jacobs and Elderfield) 671

Globulin:
Blood serum albumin transformation (Hooker and Boyd) 187
Crystalline, milk, from albumin fraction (Palmer) lxxv

Glucose:
Absorption rate, gastrointestinal tract (Trimble, Carey, and Maddock) 125
Metabolism, fasting (Dann and Chambers) 493
Urine, lactose and, determination (Kleiner and Tauber) 749

Glucuron:
Acetylation (Goebel and Babers) 743
Glucuronic acid preparation (Goebel and Babers) 573
Reducing values, glucuronic acid and, comparison (Goebel and Babers) 573

Glucuronic acid:
Derivatives. I (Goebel and Babers) 573
II (Goebel and Babers) 743
Preparation from glucuron (Goebel and Babers) 573
Production, scurvy (Quick) 441
Reducing values, glucuron and, comparison (Goebel and Babers) 573

Glutamic acid:
Anemia, effect (Rider) 243

Glutamic acid—*continued:*
Solubility, organic solvents and water (Pertzoff) 97

Glycine:
Metabolism effect (Adams) iii
Muscle disease, effect (Brand and Harris) xx
— dystrophy, pseudohypertrophic, effect (Chanutin, Butt, and Royster) xxvi
Neuromuscular disease, effect (Brand and Harris) xx

Glycogen:
Adsorption (Bancroft and Fry) 255
Determination (Good, Kramer, and Somogyi) 485
Hydrolysis (Bancroft and Fry) 255
Liver, sexual variation (Deuel) xxxv
Muscle, mammalian, carbohydrate, total, and (Cori and Cori) 323

Glycosides:
Digitalis. VII (Jacobs and Elderfield) 671
Methyl-, hexuronic acids, naturally occurring. I (Morell and Link) 385

Glycylcysteic acid:
Synthesis (White) civ

Glycyltaurine:
Synthesis (White) civ

Gonad:
-Stimulating substance, pituitary, anterior, fractionation (WALLEN-LAWRENCE) xcvii

Growth:
Parathyroid gland effect (KOZELKA, HART, and BOHSTEDT) 715
-Promoting vitamin. *See also* Vitamin B_2.

H

Hagedorn-Jensen:
Polysaccharide determination, tuberculin, Shaffer-Hartmann method, comparison (MUNDAY and SEIBERT) 277

Heat:
Salt economy, effect (DILL, JONES, EDWARDS, and OBERG) 755

Hematoporphyrin:
Enzyme action (BOYD) xix

Hemin:
Vitamin B_2, relation (SMITH) 225

Hemoglobin:
Construction, iron salts, anemia, influence (DAFT) xxxiv
Derivatives, spectrophotometric study (DRABKIN and AUSTIN) xxxvi
Oxygen capacity (MORRISON) lxxii
Oxygen-, equilibrium, electrolyte effect (GREEN and TALBOTT) p. 1

Hen-feathering:
Sebright cocks (GALLAGHER, DOMM, and KOCH) xlvii

Herbivora:
Synthetic diets (MCCAY, MADSEN, and MAYNARD) lxviii

Hexosemonophosphate:
Muscle, frog, disappearance (RONZONI and KERLY) lxxxiv

Hexuronic acid(s):
Naturally occurring, methylglycosides. I (MORELL and LINK) 385
Synthesis. II (NIEMANN and LINK) 407

Hippuric acid:
Synthesis (GRIFFITH) p. 1

Hydantoin:
Phenyl-, cysteic acid, preparation and properties (ANDREWS and ANDREWS) vi

Hydrocarbons:
Configurational relationship. V (LEVENE and MARKER) 769
Isopropyl series, optical rotations (LEVENE and MARKER) 769

Hydrogen ion concentration:
Blood plasma, determination, colorimetric, *C* correction (ROBINSON, PRICE, and CULLEN) lxxxiii
— serum, determination, colorimetric, *C* correction (ROBINSON, PRICE, and CULLEN) lxxxiii

α-Hydroxyoxidase:
Lactate-pyruvate oxidation-reduction potentials, coenzyme effect (BARRON and HASTINGS) xi
Lactic acid oxidation, mechanism (BARRON and HASTINGS) 155
Hydroxyproline:
Color test (MORSE) 373
— — for scleroproteins (MORSE) 373
Lability, protein molecule (MORSE) lxxiii
Hypercalcemia:
Blood serum calcium, forms (BENJAMIN and HESS) 27
— — phosphorus, inorganic, forms (BENJAMIN and HESS) 27
Hypophysectomy:
Calcium excretion, parathyroid hormone injection effect (PUGSLEY) lxxxi
— —, thyroid feeding effect (PUGSLEY) lxxxi
Hypophysis extract effect (WADE, KATZMAN, and JORGENSEN) xcvi
Urine extract, pregnancy, effect (WADE, KATZMAN, and JORGENSEN) xcvi
Hypophysis:
Extract, hypophysectomy, effect (WADE, KATZMAN, and JORGENSEN) xcvi

I

Indole:
Derivatives, tryptophane-deficient diet, supplement (BAUGUESS and BERG) xii
Infantilism:
Lorain, metabolism (WANG, HOGDEN, KAUCHER, and WING) xcix
Inorganic bases:
Biological material, determination, spectrographic, quantitative (WILEY, OWENS, and DUFFENDACK) cv
Inorganic constituents:
Diet low in, mineral metabolism (BROOKE and SMITH) 105
Inorganic salt(s):
-Low ration, tooth effect (ARNIM, CLARKE, ANDERSON, and SMITH) viii
Nutrition. VI (BROOKE and SMITH) 105
Insect:
Vitamin B fractions, test (McCAY) lxvii
Insulin:
Blood plasma phospholipid, amytal and, effect (MILLER) lxx
Chemistry (EVANS and SCHOCK) xli
Integument:
Chemistry. V (MORSE) 373
VI (MORSE) lxxiii
Intestine:
Fermentation, respiratory quotient, fat-deficient diet, effect (WESSON) 365
Iodine:
Level, fat deficiency, relation (BURR and BEBER) xxiv

Iodine—*continued:*
Level, fat metabolism, relation (Burr and Beber) xxiv
Iodoacetate:
Yeast fermentation, inhibition (Ehrenfest) xxxviii
Iodoacetic acid:
Yeast poisoned by, amines, effect (Schroeder, Woodward, and Platt) 525
Iron:
Biological material, determination (Hanzal) li
Egg yolk (Erikson, Boyden, Martin, and Insko) xl
Reticulocyte response, anemia, effect (Elvehjem and Schultze) xxxix
Salts, hemoglobin construction, anemia, influence (Daft) xxxiv
—, nitrogen conservation, anemia, influence (Daft) xxxiv
Utilization, parenteral administration (Bing, Saurwein, and Myers) xv
Isobarbituric acid:
Metabolism (Stekol and Cerecedo) 653, xc

K

Keratin:
Egg-shell (Calvery) 183

L

Lactate-pyruvate:
Oxidation-reduction potentials, α-hydroxyoxidase coenzyme, effect (Barron and Hastings) xi
Lactation:
Parathyroid glands, relation (Kozelka, Hart, and Bohstedt) 715
(Kozelka) lx
Lactic acid:
Determination (Friedemann and Graeser) 291
Exercise, removal (Edwards, Margaria, and Dill) xxxviii
Muscle contraction, rôle (Margaria, Edwards, Henderson, and Dill) lxv
Oxidation, α-hydroxyoxidase, mechanism (Barron and Hastings) 155
Lactose:
Urine, glucose and, determination (Kleiner and Tauber) 749
Leucine:
Absorption, gastrointestinal tract (Chase) xxvii
Di-, hydrochloride (Barnett) 543
Isolation (Barnett) 543
Isomers, absorption, gastrointestinal tract (Chase) xxvii
Lipid(s):
Liver, fat metabolism and (Sinclair) lxxxvii
Mold (Pruess and Strong) lxxx
Tissue, cholesterol-rich diets, effect (Okey) lxxv
Unsaponifiable, liver. I (Freytag and Smith) 309
II (Freytag and Smith) 319

Lipid(s)—*continued:*
Unsaponifiable, liver, antioxygens (FREYTAG and SMITH) 319
—, —, crystalline fractions (FREYTAG and SMITH) 309
—, —, separation (FREYTAG and SMITH) 309
—, —, vitamins A and E (FREYTAG and SMITH) 319

Liver:
Dietary principle, new (SEEGERS and SMITH) lxxxvii
Fat, sexual variation (DEUEL) xxxv
Fatty, dietary production (BLATHERWICK, MEDLAR, BRADSHAW, POST, and SAWYER) xviii
Glycogen, sexual variation (DEUEL) xxxv
Lipids, fat metabolism and (SINCLAIR) lxxxvii
—, unsaponifiable. I (FREYTAG and SMITH) 309
II (FREYTAG and SMITH) 319
—, —, antioxygens (FREYTAG and SMITH) 319
—, —, crystalline fractions (FREYTAG and SMITH) 309
—, —, separation (FREYTAG and SMITH) 309
—, —, vitamins A and E (FREYTAG and SMITH) 319

M

Magnesium:
Biological materials, determination, McCrudden method (FREAR and KAHLENBERG) 85
Blood cell, red (GREENBERG, LUCIA, MACKEY, and TUFTS) 139
— plasma (GREENBERG, LUCIA, MACKEY, and TUFTS) 139
Deficiency. III (KRUSE, ORENT, and MCCOLLUM) 603
Deprivation, blood effect (KRUSE, ORENT, and MCCOLLUM) 603

***d*-Mannosaccharic acid:**
d-Mannuronic acid, synthesis from (NIEMANN and LINK) 407

***d*-Mannuronic acid:**
d-Mannosaccharic acid synthesis (NIEMANN and LINK) 407

α,*d*-Mannuronic acid:
Isolation (SCHOEFFEL and LINK) 397

β,*d*-Mannuronic acid:
Isolation (SCHOEFFEL and LINK) 397

Metabolism:
Glycine effect (ADAMS) iii
Infantilism, Lorain (WANG, HOGDEN, KAUCHER, and WING) xcix

Methemoglobin:
Determination, bicolorimetric (CLARK and GIBSON) 205

Methionine:
-Deficient diet, production (White and Jackson) ciii
***dl*-Methionine:**
Metabolism (Virtue and Lewis) xcv
Methylene blue:
Cyanide poisoning, action (Wendel) c
Methyl-*d*-galacturonide:
Preparation (Morell and Link) 385
Methylglycosides:
Hexuronic acids, naturally occurring. I (Morell and Link) 385
Methylsulfonic acid:
Protein oxidation product (Vars) xciii
Mineral:
Metabolism, inorganic constituents, diet low in (Brooke and Smith) 105
Mold:
Lipid (Pruess and Strong) lxxx
Mycelium, nitrogen (Peterson, Gorcica, and Fred) lxxviii
Mucin:
Pepsin inhibition by (Bradley) xx
Muscle:
Anserine, determination (Wilson and Wolff) cvi
Contraction, lactic acid rôle (Margaria, Edwards, Henderson, and Dill) lxv
Muscle—*continued:*
Disease, glycine effect (Brand and Harris) xx
Dystrophy, amino acid effect (Beard and Tripoli) xiv
—, pseudohypertrophic, creatine effect (Chanutin, Butt, and Royster) xxvi
—, —, glycine effect (Chanutin, Butt, and Royster) xxvi
Fish, dehydrogenase systems, arsenic effect (Collett, Rheinberger, and Little) 271
—, — —, selenium effect (Collett, Rheinberger, and Little) 271
—, — —, tellurium effect (Collett, Rheinberger, and Little) 271
Frog, dehydrogenase systems, arsenic effect (Collett, Rheinberger, and Little) 271
—, — —, selenium effect (Collett, Rheinberger, and Little) 271
—, — —, tellurium effect (Collett, Rheinberger, and Little) 271
—, hexosemonophosphate disappearance (Ronzoni and Kerly) lxxxiv
Heart, sugar, fermentable (Cori and Closs) xxxii
Mammalian, carbohydrate, total, glycogen and (Cori and Cori) 323

XUM

Muscle—*continued:*
Skeletal, sugar, fermentable (Cori and Closs) xxxii

N

Neuromuscular disease:
Glycine effect (Brand and Harris) xx
Nitrogen:
Amide, blood protein, urine ammonia source. III (Williams and Nash) 515
IV (Williams and Nash) 737
Conservation, iron salts, anemia, influence (Daft) xxxiv
Mold mycelium (Peterson, Gorcica, and Fred) lxxviii
Nutrition:
Inorganic salts. VI (Brooke and Smith) 105

O

Oil(s):
Acetyl number, determination (West, Curtis, and Hoagland) cii
Fish. *See* Fish oil.
Oligosaccharides:
Reduction by (Everett and Edwards) xlii
Onion:
Disease resistance, catechol, relation (Link and Walker) 379
Optical rotation:
Chemical constitution and. IV (Levene, Marker, and Rothen) 589
Oxidase:
α-Hydroxy-, lactic acid oxidation, mechanism (Barron and Hastings) 155
Oxidation(s):
Biological. II (Barron and Hastings) 155
Reversible, two-step, theory (Elema) 149
Oxygen:
Consumption, fasting (Davis and van Dyke) 455
Debt, mechanism (Margaria, Edwards, Henderson, and Dill) lxv
-Hemoglobin equilibrium, electrolyte effect (Green and Talbott) p. 1

P

Pancreas:
Enzyme, anemia, pernicious (Helmer, Fouts, and Zerfas) liii
Parathyroid:
Extract, bone, effect (Morgan, Kimmel, Thomas, and Samisch) lxxi
Gland, ergosterol, irradiated, toxicity, relation (Jones) 343
—, function (Kozelka) lx
—, growth effect (Kozelka, Hart, and Bohstedt) 715
—, lactation, relation (Kozelka, Hart, and Bohstedt) 715
(Kozelka) lx

Parathyroid—*continued:*
Gland, reproduction, relation (KOZELKA, HART, and BOHSTEDT) 715
(KOZELKA) lx
Hormone, calcium excretion, hypophysectomy, injection effect (PUGSLEY) lxxxi
—, — —, injection effect (PUGSLEY) lxxxi
—, rôle (PUGSLEY and SELYE) lxxxi
Parathyroidectomy:
Ergosterol, irradiated, effect (ASHER and JONES) 333
Pepsin:
Casein digestion (JONES and GERSDORFF) lviii
Inhibition, mucin (BRADLEY) xx
Phenols:
Blood, tyrosine ingestion effect (LOONEY) lxiv
Phenyl compounds:
Rotations (LEVENE and MARKER) 685
Phenylhydantoin:
Cysteic acid, preparation and properties (ANDREWS and ANDREWS) vi
Phospholipid:
Blood plasma, amytal and epinephrine effect (MILLER) lxx
— —, — — insulin effect (MILLER) lxx
Phosphorus:
Biological material, determination, Lorenz-Pregl technique (BROOKE and SMITH) xxiii
Phosphorus—*continued:*
Blood, distribution, ergosterol, irradiated, effect (GUEST and WARKANY) 445
— serum, pregnancy (MULL and KINNEY) lxxiii
Calcium-, complex, filtrable, adsorbable, blood serum (BENJAMIN) 57
Inorganic, blood serum, forms. I (BENJAMIN and HESS) 27
II (BENJAMIN) 57
—, — —, —, hypercalcemia (BENJAMIN and HESS) 27
—, — —, —, rickets (BENJAMIN and HESS) 27
Storage, growing children (HUNSCHER, COPE, NOLL, and MACY) lv
Pitocin:
Properties (DU VIGNEAUD, SEALOCK, SIFFERD, KAMM, and GROTE) xciv
Pitressin:
Properties (DU VIGNEAUD, SEALOCK, SIFFERD, KAMM, and GROTE) xciv
Pituitary:
Anterior, extracts (GAEBLER) xlvi
—, gonad-stimulating substance, fractionation (WALLEN-LAWRENCE) xcvii
—, male hormone and, effect (HARROW, NAIMAN, and FUNK) lii

Pituitary—*continued:*
Extracts, properties (Collip, Thomson, and Selye) xxxii
-Like hormone, anterior, properties (Collip, Thomson, and Selye) xxxi
Plant:
Tissue, vitamin B_1 adsorption. I (Miller and Abel) 731
Polysaccharide:
Tuberculin, determination, Shaffer-Hartmann and Hagedorn-Jensen methods, comparison (Munday and Seibert) 277
Potassium:
Determination, colorimetric (Sobel and Kramer) 561
Precipitation as potassium sodium cobaltinitrite (Hubbard) 557
Potassium sodium cobaltinitrite:
Potassium precipitation (Hubbard) 557
Pregnancy:
Blood serum calcium (Mull and Kinney) lxxiii
— — phosphorus (Mull and Kinney) lxxiii
Tooth changes (Mull and Kinney) lxxiii
Urine extract, hypophysectomy, effect (Wade, Katzman, and Jorgensen) xcvi
Propionic acid(s):
α,α'-Bis-acetylamino-, esters, preparation (Nicolet) 287
Propionic acid(s)—*continued:*
Disubstituted, with phenyl group, configurational relationship (Levene, Marker, and Rothen) 589
Protein(s):
Amide nitrogen, blood, urine ammonia source. III (Williams and Nash) 515
IV (Williams and Nash) 737
Amides, synthesis from ammonia (Williams and Nash) 515
Bence-Jones. I (Medes) lxix
Blood serum, cystine (Tuchman and Reiner) 775
(Reiner and Sobotka) 779
— —, tyrosine (Reiner and Sobotka) 779
Methylsulfonic acid from (Vars) xciii
Molal volumes (Cohn, McMeekin, Edsall, and Blanchard) xxviii
Molecule, hydroxyproline lability (Morse) lxxiii
Saccharomyces cerevisiæ (Csonka) xxxiii
Yeast (Csonka) xxxiii
Pulfrich:
Photometer, creatinine determination (Kassell) lviii
Pyrimidines:
Physiology (Stekol and Cerecedo) xc

XUM

Pyrimidines—*continued:*
Physiology. VII (Stekol and Cerecedo) 653

R

Refection:
(Parsons, Kelly, and Hussemann) lxxvi

Reproduction:
Parathyroid glands, relation (Kozelka, Hart, and Bohstedt) 715
(Kozelka) lx

Respiration:
Shock and adrenalin, effect (Landis) lxi

Respiratory quotient:
Abnormal, fat-deficient diet, effect (Wesson) 365
—, — —, exercise effect (Wesson) 365
—, intestinal fermentation, fat-deficient diet, effect (Wesson) 365

Reticulocyte:
Copper effect, anemia (Elvehjem and Schultze) xxxix
Iron effect, anemia (Elvehjem and Schultze) xxxix

***l*-Ribose:**
Synthesis (Austin and Humoller) x

Rickets:
Blood serum calcium, forms (Benjamin and Hess) 27
— — phosphorus, inorganic, forms (Benjamin and Hess) 27

S

Saccharic acid:
d-Manno-, *d*-mannuronic acid, synthesis from (Niemann and Link) 407

Saccharides:
Oligo-, reduction by (Everett and Edwards) xlii

Saccharoid:
Blood, nature (Fashena) 357

Saccharomyces cerevisiæ:
Proteins (Csonka) xxxiii

Salt:
Economy, heat effect (Dill, Jones, Edwards, and Oberg) 755

Scleroprotein:
Hydroxyproline color test for (Morse) 373

Scurvy:
Glucuronic acid production (Quick) 441
-Like symptoms, sodium fluoride ingestion cause (Phillips) lxxix

Sex:
Carbohydrate metabolism, effect. II (Butts and Deuel) 415
Hormone, male. VI (Harrow, Naiman, and Funk) lii
—, —, comb growth-stimulating, alkali effect (Gallagher and Koch) xlvii
—, —, pituitary, anterior, and, effect (Harrow, Naiman, and Funk) lii

Sex—*continued:*
Liver fat, effect (DEUEL) xxxv
— glycogen, effect (DEUEL) xxxv

Shaffer-Hartmann:
Polysaccharide determination, tuberculin, Hagedorn-Jensen method, comparison (MUNDAY and SEIBERT) 277

Shock:
Electrocardiogram, adrenalin and, effect (LANDIS) lxi
Respiration, adrenalin and, effect (LANDIS) lxi

Skin: *See also* Integument.

Sodium fluoride:
Scurvy-like symptoms following ingestion (PHILLIPS) lxxix

Sodium nitrite:
Cyanide poisoning, action (WENDEL) c

Soy bean:
See Bean.

Spectrograph:
Vitamin A determination (BILLS) xv

Stomach:
Ulcer, bile salts and thyroid, relation (SCHMIDT) lxxxvi

Sugar(s):
Acidic property. II (URBAN and WILLIAMS) 237
Determination, copper-iodometric reagents (SHAFFER and SOMOGYI) 695

Sugar(s)—*continued:*
Fermentable, heart (CORI and CLOSS) xxxii
—, muscle, skeletal (CORI and CLOSS) xxxii

Sulfonic acid:
Methyl-, protein oxidation product (VARS) xciii

Sulfur:
Compounds, absorption, intestinal loop (ANDREWS and JOHNSTON) vii

Suprarenal:
Gland, active principle essential to life (KENDALL, MASON, MCKENZIE, and MYERS) lix

T

Tartaric acid:
Fate, body (FINKLE) 349

Taurine:
Glycyl-, synthesis (WHITE) civ

Testicle:
Hormone assay (GALLAGHER and KOCH) xlviii
—, urine (GALLAGHER and KOCH) xlviii

Theelin:
Derivatives, oxygen equivalents (LEVIN, MACCORQUODALE, THAYER, and DOISY) lxii
Oxygen equivalents (LEVIN, MACCORQUODALE, THAYER, and DOISY) lxii
Preparation (CURTIS) xxxiii

Theelol:
Derivatives, oxygen equivalents (Levin, MacCorquodale, Thayer, and Doisy) lxii
Oxygen equivalents (Levin, MacCorquodale, Thayer, and Doisy) lxii
Thiocyanate:
Urine, determination (Sullivan) xci
Thyroglobulin:
Preparation (Cavett and Seljeskog) xxvi
Thyroid:
Activity, gastric ulcers and bile salts, relation (Schmidt) lxxxvi
Desiccated, calcium excretion, feeding effect (Pugsley) lxxxi
—, — —, hypophysectomy, feeding effect (Pugsley) lxxxi
Gland, cyanide metabolism and (Baumann, Sprinson, and Metzger) xiii
Thyrotropic hormone:
Physiology (Anderson) iv
Toad:
Poison, chemistry (Jensen, Chen, and Chen) lvii
Tooth:
Inorganic salts, ration low in, effect (Arnim, Clarke, Anderson, and Smith) viii
Pregnancy relation (Mull and Kinney) lxxiii
Vitamin D effect (Templin and Steenbock) 217
Trehalose:
Identification, tubercle bacillus (Anderson and Newman) iv
Tryptophane:
-Deficient diet, indole derivatives, supplement (Bauguess and Berg) xii
dl-**Tryptophane:**
Resolution (Berg) 79
Tubercle bacillus:
Trehalose in acetone-soluble fat (Anderson and Newman) iv
Tuberculin:
Polysaccharide determination, Shaffer-Hartmann and Hagedorn-Jensen methods, comparison (Munday and Seibert) 277
Tyrosine:
Blood phenols, ingestion effect (Looney) lxiv
— serum proteins (Reiner and Sobotka) 779
— uric acid, ingestion effect, Folin and Benedict methods, comparison (Looney) lxiv
Tyrosinephosphoric acid:
Synthesis (Levene and Schormüller) 583

U

Ultra-violet:
Irradiation, vitamin B complex, effect (Hogan and Richardson) lv
Urease:
Activity, oxidation rôle (Perlzweig) lxxvii

Urease—*continued:*
Activity, reduction rôle (PERLZWEIG) lxxvii
Soy bean (KIRK) 667
Uric acid:
Blood, Folin and Benedict methods, comparison (LOONEY) lxiv
Urine:
Anisotropic substances (TURNER) xcii
Extract, pregnancy, hypophysectomy, effect (WADE, KATZMAN, and JORGENSEN) xcvi
Fat metabolism hormone (FUNK) xliii
Mouse (PARFENTJEV and PERLZWEIG) 551

V

Valine:
Absorption, gastrointestinal tract (CHASE) xxvii
Isomers, absorption, gastrointestinal tract (CHASE) xxvii
Viosterol:
Bone, effect (MORGAN, KIMMEL, THOMAS, and SAMISCH) lxxi
Vitamin:
A, antimony trichloride test, substances interfering with (CORBET, GEISINGER, and HOLMES) 657
— determination, spectrographic (BILLS) xv
—, fish oils, determination (BILLS) xv
—, lipids, unsaponifiable, liver (FREYTAG and SMITH) 319
Vitamin—*continued:*
A synthesis, bacterial (BAUMANN, STEENBOCK, and INGRAHAM) xiii
B complex, ultra-violet irradiation, effect (HOGAN and RICHARDSON) lv
— —, yeast (LEWIS and RYMER) lxiii
— fractions, insect test (McCAY) lxvii
B_1 adsorption, *Brassica chinensis* (MILLER and ABEL) 731
— —, plant tissue. I (MILLER and ABEL) 731
—, standardization (SMITH) 225
—, yeast, extraction (SEIDELL) 195
(SMITH) 225
B_2, hemin, relation (SMITH) 225
—, standardization (SMITH) 225
—, yeast, extraction (SMITH) 225
D, calcium conservation, adult and. II (TEMPLIN and STEENBOCK) 209
III (TEMPLIN and STEENBOCK) 217
—, — —, calcium-low diet, adult, effect (TEMPLIN and STEENBOCK) 209
—, tooth, effect (TEMPLIN and STEENBOCK) 217
E, lipids, unsaponifiable, liver (FREYTAG and SMITH) 319
Standards, international (NELSON) lxxiv

W

Wax:

Acetyl number, determination (West, Curtis, and Hoagland) cii

Y

Yeast:

Fermentation, iodoacetate inhibition (Ehrenfest) xxxviii

Yeast—*continued:*

Poisoned by iodoacetic acid, amines, effect (Schroder, Woodward, and Platt) 525

Proteins (Csonka) xxxiii

Vitamin B complex (Lewis and Rymer) lxiii

— B_1 extraction (Seidell) 195

(Smith) 225

— B_2 extraction (Smith) 225